



# Carl Sandburg College Science + Technology Center

Furniture, Fixtures and Equipment  
Request for Proposal

# Table of Contents

**SPECIFIER /**

Farnsworth Group, Inc.  
100 Walnut St., Suite 200  
Peoria, Illinois 61602

**CONTACT /**

Heather MacDonald  
o / 309.689.9888  
e / hmacdonald@f-w.com

**OWNER /**

Carl Sandburg College  
2400 Tom L. Wilson Blvd.  
Galesburg, IL 61401

Project Description . . . . .	3
Instruction to Vendors . . . . .	4
Vendor Certification . . . . .	10
Non-Collusion / Bid-Rigging Affidavit . . . . .	12
Request for Proposal Form . . . . .	14
Appendix A - Furniture Listing . . . . .	16

# Project Description

## RFP & INSTALLATION SCHEDULE

**DATE RFP ISSUED /**  
**01/22/2023**

**DEADLINE FOR CLARIFICATIONS /**  
**01/31/2024, 5:00PM CST**

**LAST ADDENDA ISSUED /**  
**02/02/2024, 5:00PM CST**

**DEADLINE FOR PROPOSAL /**  
**02/09/2024, 3:00PM CST**

**SEND PROPOSALS TO /**  
Heather MacDonald  
hmacdonald@f-w.com

## INSTALLATION /

All furniture must be installed between **6/24/24-7/12/24**.

Coordinate installation with River City Construction for site access.

### Site Contact:

Jason Love  
jlove@rcellc.com  
309.202.2904

The Scope of Work consists of the delivery and installation of new interior furnishings for Carl Sandburg College's Science and Technology Center in Galesburg, Illinois. Furnishings include, but are not limited to, task chairs, student chairs, cafe tables and stools, lounge chairs, modular lounge, occasional tables, collaboration tables, waste receptacles, whiteboards, and planters.

All products must be ordered at the same time in effort to eliminate possible mismatched dye lots, production run inconsistencies and/or discontinued or back-ordered products. Products must be received by the furniture vendor for staging and storage until directed to deliver to Carl Sandburg at time of installation.

Products are required to be procured through a state-approved purchasing contract like, OMNIA Partners, TIPS, Illinois Public Higher Education Cooperative (IPHEC) Contract, E&I, or SourceWell.

Through internal initiatives, Carl Sandburg is encouraged to purchase from Minority Business Enterprise (MBE) or Women's Business Enterprise (WBE)/(WOSB)/(WBNEC) certified businesses. If your business qualifies for either certification, include your membership information in your RFP response.

Carl Sandburg College is not subject to Federal Excise Tax or Illinois Retailers Occupational Tax.

Delivery Hours: Standard Business Hours.

Wages: Prevailing wage in according with the Illinois Prevailing Wage Act.

# Instructions to Vendors

## DEFINITIONS

A. RFP Documents include the Instruction to Vendors, the specifications, all other bidding, phasing details and proposed Contract Documents, including all Addenda issued prior to receipt of bids.

B. Addenda are written or graphic instruments issued by Farnsworth Group prior to the execution of the Contract, which modify or interpret the RFP Documents by additions, deletions, clarifications or corrections.

C. A *Vendor* is one who submits a RFP for a contract with the Owner for the work described in the proposed Contract Documents.

D. A *Sub-Vendor* is one who submits a RFP to a Vendor for materials and/or labor for a portion of the work.

E. A *Vendor* is one who has been awarded the contract for the work as defined in the specifications.

## DOCUMENT DATA

A. Complete sets of RFP Documents will be issued via email and posted publicly via the Carl Sandburg College website.

## EXAMINATION OF DOCUMENTS

A. Each Vendor, by submitting their RFP, represents that:

- i. They have read and understand the RFP document and their RFP is made in accordance therewith.
- ii. Their RFP is based upon the materials and equipment described in the RFP Documents which are equal to Basis of Design products.

## PROJECT REQUIREMENTS

A. All questions about the RFP Documents shall be submitted in writing via email on or before **Wednesday, January 31, 2024, 5:00PM CST** to Heather MacDonald of Farnsworth Group, hmacdonald@f-w.com and Jeremy Collins, jcollins@f-w.com, concurrently.

B. Revisions arising out of questions requiring interpretations, clarifications or corrections to the RFP Documents will be made by Addendum.

C. Vendors shall not rely on any oral interpretation, clarification or correction made by an unauthorized individual.

D. Vendors shall make Farnsworth Group aware of any discrepancies that exist in the specifications and/or plans.

E. Vendors shall notify Farnsworth Group of estimated extended lead times upon notification from manufacturer.

F. Vendors shall make Farnsworth Group aware of any fabric pattern direction concerns, changes or special considerations other than those specified by Farnsworth Group.

G. The Vendor shall be responsible for approval of graded-in fabrics for specified product(s).

H. All upholstered pieces to be compliant with Illinois state fire codes and any other applicable codes.

I. Neither the Owner nor Farnsworth Group shall be financially responsible for improper manufacturer finish selections, yardage requirements, dimensions, etc. Discrepancies shall be brought to the attention of the Interior Designer immediately. Any revisions or clarifications shall be made, if required, by Addendum.

J. The Vendor shall be responsible for verifying that the electrical components specified meet local codes and regulations. Coordinate electrical feed types and locations with Farnsworth Group and General Contractor (GC). Provide any whips or components specified as required to meet local codes and regulations. All electrical to be coordinated with architectural drawings. Coordinate dimensions in field with Architect and GC for junction box locations in order to power components as required.

K. Through internal initiatives, Carl Sandburg is encouraged to purchase from Minority Business Enterprise (MBE) or Women's Business Enterprise (WBE)/(WOSB)/(WBNEC) certified businesses. If your business qualifies for either certification, include your membership information in your RFP.

## PREPARATION OF RFP

A. RFPs shall be submitted on the printed forms provided with all appropriate blank spaces filled in. All prices and notation must be in ink or typewritten. The signatures shall not be without interlineations, alteration or erasure unless initialed by the Vendor. RFP shall not contain any qualifications or recapitulation of the work to be done.

B. All materials must meet local and state codes as applicable to this project. All flame retardant documentation must be provided to the Owner upon completion of the project for internal record keeping.

C. Each Vendor will be responsible to guarantee all pricing and availability of product included in his/her RFP. Any concerns, pricing changes, discontinuations, out-of-stock materials, or any products that pose a potential concern to meet the published project deadline should be brought to the attention of the Interior Designer immediately.

D. All pricing information shall include anticipated pricing changes, freight, delivery, union labor, storage, and waste removal as outlined on the RFP Form.

E. Pricing must be provided for the RFP in its entirety as specified in this document. Pricing to include the exact quantity, all necessary parts, accessories, and connectors to assemble and power all furniture in the specification.

F. Product substitutions will not be allowed for this RFP submittal.

G. Where dollar amounts are given in both words and figures, the words shall govern. If the amount is not written in words, the unit cost will take precedence over the extended price in case of discrepancy in the multiplication.

H. If the Vendor is a corporation, the RFP shall contain the legal name of the corporation and shall be signed by a duly authorized officer. If a partnership, it shall be signed by one of the partners authorized to execute documents.

I. In summary, each Vendor must provide the following deliverables to be considered eligible to RFP:

- i. A completed RFP Form.
- ii. A completed RFP Cost Schedule with Extended Cost, Subtotals per Category, Freight & Installation Costs, Grand Totals matching totals on RFP Forms.
- iii. A signed Vendor Certification and Non-Collusion Form.

L. The Vendor must provide the following deliverables for verification and final approval before order is placed:

- i. Overall furniture layout plan and bill of materials.
- ii. AutoCAD/Revit file of plan with furniture blocks.
- iii. Physical samples of all selected finishes and upholsteries, labeled with corresponding furniture plan tag.
- iv. Estimated delivery schedule and lead times.

## SUBMISSION OF RFP

A. RFP submissions for this project, Carl Sandburg S+T, shall be received on or before **Friday, February 9, 2024 at 3:00PM CST.**

B. General:

- a. RFP shall be submitted via email to Heather MacDonald, hmacdonald@f-w.com, Jeremy Collins, jcollins@f-w.com, Carrie Hawkinson, chawkinson@sandburg.edu, and Tony Day, tday@sandburg.edu, concurrently.
- b. Unsigned or late RFPs will not be considered.
- e. Carl Sandburg College is not subject to Federal Excise Tax or Illinois Retailers Occupational Tax.
- f. Prices quoted shall include all charges for packing, transportation and delivery to the campus location or where designated on the RFP.
- g. Correspondence shall be addressed to Heather MacDonald at Farnsworth Group, hmacdonald@f-w.com.
- h. Oral, telephonic, telegraphic or facsimile transmitted proposals will not be accepted.

C. Errors and Omissions: All proposals shall be submitted with each space properly completed. The special attention of Vendors is directed to the policy that no claim for relief because of errors or omissions in the bidding will be considered, and bidders will be held strictly to the proposals as submitted. Should vendors find any discrepancies in, or omissions from, any of the documents, or be in doubt as to their meanings, they shall advise Farnsworth Group who will issue the necessary clarifications to all prospective Vendors by means of addenda.

D. Firm RFP: All RFPs will be considered to be firm for a period of sixty (60) days from **Friday, February 9, 2024.**

E. Review of Vendors:

- a. Farnsworth Group will make such review as is necessary to determine the ability of the Vendor to fulfill RFP requirements. The Vendor shall furnish such information as may be requested and shall be prepared to show completed installations of equipment, types of service or supplies similar to those included in the RFP.
- c. Vendor must agree to the installation schedule of two weeks, June 24-July 17, 2024.
- b. The Owner reserves the right to reject any RFP if it is determined that the Vendor is not properly qualified to carry out the obligation of the contract.

F. Reservation of Rights by the Institution: The Owner reserves the right to reject any or all bids, to waive irregularities and to accept the lowest responsible Vendor, considering conformity with specifications, terms of delivery, quality and serviceability. All items shall be new unless otherwise specified. By submitting a RFP, Vendors agree to mandatory binding arbitration on all RFP disputes.

G. Signature Constitutes Acceptance: The signing of these RFP forms shall be construed as acceptance of all provisions contained herein.

H. Evaluation: The Owner reserves the right to reject any and all proposals, to waive any technicalities in the RFP and to determine if a Vendor is not a responsible Vendor and should be disregarded. The Owner will authorize the release of purchase orders upon acceptance of bids. In the event of pricing errors the unit cost(s) listed will prevail and be considered accurate.

I. Total Price for All Items RFP: A total RFP dollar amount of all items must be entered in the appropriate section of the RFP Form before signing and submitting the RFP.

J. Hold Harmless and Indemnification: The Contractor shall assume all liability for, and shall protect, defend, indemnify and hold harmless, the Board of Trustees and its members individually, their officers, employees, servants and agents, from and against all claims, actions, suits, judgments, costs, losses, expenses and liabilities of whatsoever kind or nature including reasonable legal fees incurred by owner arising out of:

- a. Any infringement (actual or claimed) of any patents, copyrights or trade names by reason of any work performed or to be performed by the Contractor under this Contract or by reason of anything to be supplied by the Contractor pursuant to this Contract.

- b. Bodily injury, including death, to any person or persons (including Contractor's officers, employees, agents and servants) or damage to or destruction of any property, including the loss of use thereof:

- Caused in whole or in part by an act, error or omissions by the Contractor or any subcontractor or anyone directly or indirectly employed by any of them regardless of whether or not it is caused in part by a party to be indemnified hereunder.

- Arising directly or indirectly out of the presence of any person in or about any part of the project site or the streets, sidewalks and property adjacent thereto.

- Arising directly or indirectly out of the use, misuse or failure of any machinery or equipment used directly or indirectly in the performance of this contract.

K. Recycled Products: The Owner supports national and local efforts for recycling.

## MODIFICATIONS OR WITHDRAWAL OF RFP

A. No RFP may be modified, withdrawn or canceled by the Vendor with in sixty (60) days following the RFP date and time as designated in original bidding documents. Vendors agree to these terms when submitting their RFP.

B. Prior to the time and date designated for receipt of RFPs, any documents submitted early may be modified or withdrawn only by notice to the party receiving the RFPs.

C. Withdrawn RFPs may be resubmitted up to the time designated within the specifications provided they are in full compliance with project requirements.

## AWARDS OF CONTRACT

A. The Owner reserves the right to reject any or all bids, the right to waive minor informalities in any RFP, and the right to make an award in the best interest of the Owner after all RFPs have been examined and evaluated. In addition, the Vendor recognizes the right of the Owner to reject a RFP if the Vendor failed to furnish any data required by the bidding documents or if the RFP is in any way incomplete, unqualified or irregular.

B. In case of default by the successful Vendor, the Owner may procure the articles or services from other sources and may deduct from the unpaid balance due the successful Vendor any of its costs resulting from the default, or may collect against the bond or surety for excess costs so paid, and the prices paid by the Owner shall be considered the prevailing market price at the time such purchase is made.

C. The Owner reserves the right to terminate in case of nonperformance or for any reason. If terminated the Owner will pay all previous billings.

## DELIVERY OF FURNITURE

A. The Vendor(s) shall be responsible for field verifying all jobsite conditions related to the product specifications and installation prior to ordering product and installation. Site visits can be accommodated as requested with River City Construction.

B. All requested site visits, deliveries and facility questions shall be directed to Site Contact, Jason Love, River City Construction, or at [jlove@rccllc.com](mailto:jlove@rccllc.com).

C. The tagging system identified in the specifications should be attached and/or visible on the outside of product cartons and packaging.

D. All products must be delivered to Vendor(s) warehouse for storage before delivery to the job site. When scheduled installation commences, products shall be delivered on site at street level, using entrance as directed by River City Construction.



E. It is the responsibility of the Vendor(s) to inspect all items upon receipt at the site to verify that the items meet the specifications, tagging requirements have been met and no products sustained any damage in transport. Any items with visible damage should be inspected immediately to determine if the product is acceptable for install. Should any products sustain damage or be in unacceptable condition prior to installation, the Vendor shall work with the freight company and furniture manufacturer to replace damaged piece immediately at no additional cost to the Owner.

F. The Vendor(s) shall be responsible for the disposal of all packaging, crating, wrapping, etc., daily.

G. A standard passenger elevator is available for use during installation of second floor furniture.

H. Vendor(s) shall provide all necessary surface protection used to transport furnishings through the facility. This includes, but is not limited to, floors, walls, ceilings, stairs, and elevators. Any damage sustained as a result of furniture transport or installation shall be repaired at the Vendor's expense.

I. Vendor(s) shall be responsible for any expense incurred if products are not supplied as specified (i.e. size, finish, special instructions, etc.)

K. Vendor(s) must notify Farnsworth Group of any problems and/or special situations that arise (i.e. delays, backorder, discontinued items), and is responsible for resolution of those issues immediately. The Vendor(s) must verify all ship dates meet installation schedule and notify Farnsworth Group of the status.

M. Vendor(s) to field verify all existing architectural conditions and dimensions and notify Farnsworth Group of any discrepancies or issues with the floor plan layout.

## PROJECT CLOSEOUT

A. Vendor(s), Farnsworth Group and Owner shall conduct a punch-list, indicating missing parts, manufacturer defects or damage to the furniture incurred during installation. Vendor shall provide missing or replacement product and shall coordinate installation for those products with the Owner.

B. Vendor(s) shall provide Owner's Manual to Owner's Maintenance reference. Documents to include manufacturer's product data, warranty, cleaning instructions and flame spread certifications for all products upon completion of installation declaring compliance with all health, safety and local fire codes.

A large green geometric pattern composed of various shades of green polygons, located on the left side of the page.

## VENDOR CERTIFICATION

**VENDOR CERTIFICATION /**

(MUST BE RETURNED WITH PROPOSAL)

CARL SANDBURG COLLEGE

2400 TOM L. WILSON BLVD, GALESBURG, IL 61401

\_\_\_\_\_, AS PART OF ITS PROPOSAL FOR PROVIDING A BID FOR PROJECT OFFICIAL NAME, FOR CARL SANDBURG COLLEGE, HEREBY CERTIFIES THAT SAID CONTRACTOR/VENDOR COMPLIES WITH SPECIFICATIONS LISTED BELOW FOR THAT OF A RESPONSIBLE BIDDER.

RESPONSIBLE BIDDER MEANS A BIDDER WHO MEETS ALL THE VENDOR SPECIFICATIONS, THE FOLLOWING APPLICABLE CRITERIA, AND SUBMITS EVIDENCE OF SUCH COMPLIANCE:

- A. All applicable laws prerequisite to doing business in Illinois, such as, but not limited to Section 33E-3 (bid rigging) or Section 33E-4 (bid rotating) of Article 33E of Chapter 38 of the Illinois Revised Statutes.
- B. Evidence of compliance with
  - 1. Federal Employer Tax Identification Number or Social Security Number (for individuals).
  - 2. Provision of Section 2000(e) of Chapter 21, Title 42 of the United States Code and Federal Executive Order No. 11246 as amended by Executive Order No. 11375 (known as the Equal Opportunity Employer provisions).
- C. Certificates of insurance indicating the following coverage's: general liability, workers' compensation, completed operations, automobile, hazardous occupation, product liability, and professional liability.
- D. Compliance with all provisions of the Illinois Prevailing Wage Act, including wages, medical and hospitalization insurance and retirement for those trades as covered in the Act.
- E. Compliance with all provisions of the Illinois Drug Free Workplace Act.

BY: \_\_\_\_\_ DATE: \_\_\_\_\_



**NON-COLLUSION / BID-RIGGING  
AFFADAVIT**

**NON-COLLUSION / BID RIGGING AFFIDAVIT /**

(COMPLETE AND SUBMIT WITH PROPOSAL)

STATE OF _____ )	
	) SS
COUNTY OF _____ )	

\_\_\_\_\_ BEING DULY SWORN, SAYS THAT HE/SHE IS

\_\_\_\_\_ OF \_\_\_\_\_.

(SOLE OWNER, MEMBER OF FIRM, CORPORATE OFFICIAL)

(INDIVIDUAL, FIRM OR CORPORATE NAME)

WHICH HAS BY THE ENACTMENT OF THIS DOCUMENT AFFIRMED THAT HE/SHE, IN THE PREPARATION OF THE BID ESTIMATES, HAS NOT ENTERED INTO ANY VERBAL AND/OR WRITTEN AGREEMENT WITH ANY OF THE OTHER BIDDERS OR THEIR AGENTS FOR THE SPECIFIC PURPOSE OF FIXING BID ESTIMATES TO BENEFIT HIM/HER-SELF OR THE FIRM HE/SHE REPRESENTS.

CERTIFICATION: THE UNDERSIGNED BIDDER CERTIFIES THAT IT HAS NOT BEEN CONVICTED OF BRIBERY OR ATTEMPTING TO BRIBE AN OFFICER OR EMPLOYEE OF THE STATE OF ILLINOIS, OR ANY UNIT OF GOVERNMENT IN THE STATE OF ILLINOIS, NOR HAS THE BIDDER MADE AN ADMISSION OF GUILT OF SUCH CONDUCT WHICH IS A MATTER OF RECORD, NOR HAS AN OFFICIAL, AGENT, OR EMPLOYEE OF THE BIDDER COMMITTED BRIBERY OR ATTEMPTED BRIBERY ON BEHALF OF THE BIDDER AND PURSUANT TO THE DIRECTION OR AUTHORIZATION OF A RESPONSIBLE OFFICIAL OF THE BIDDER.

THE UNDERSIGNED BIDDER FURTHER CERTIFIES THAT NEITHER THE BIDDING FIRM, INCLUDING ANY INDIVIDUAL PRESENTLY AFFILIATED WITH THE BIDDING FIRM, NOR THE INDIVIDUAL ACTING AS AGENT FOR THE BIDDING FIRM HAS BEEN BARRED FROM BIDDING ON A PUBLIC CONTRACT AS A RESULT OF A CONVICTION FOR THE VIOLATION OF STATE LAWS PROHIBITING BID-RIGGING OR BID-ROTATING, EITHER SECTION 33E-3 (BID RIGGING) OR SECTION 33E-4 (BID ROTATING) OF THE ILLINOIS CRIMINAL CODE CONTAINED IN CHAPTER 38 OF THE ILLINOIS REVISED STATUTES.

SIGNATURE \_\_\_\_\_

SUBSCRIBED AND SWORN TO ME THIS \_\_\_\_ DAY OF \_\_\_\_\_ A.D. 20\_\_

\_\_\_\_\_ (SEAL)

A large green geometric pattern composed of various polygons, resembling a low-poly or crystalline structure, occupies the left side of the page. It is set against a white background.

## REQUEST FOR PROPOSAL FORM

**REQUEST FOR PROPOSAL FORM /**

\_\_\_\_\_  
(Vendor/Company Name)

I have received the documents, drawings and specifications titled Carl Sandburg College Science + Technology Center.  
I have received the following Addenda and have included their provisions in my bid:

Addendum(s) \_\_\_\_\_.

I have examined the documents and site. In submitting this RFP, I agree:

1. To hold my price open for 60 days;
2. To accept the provisions of the Contract Documents;
3. To accomplish the work in accordance with the Contract Documents;
4. To complete the work in Substantial Completion suitable for occupancy and use for the purpose intended, as per the date(s) specified in the Contract Documents;
5. If awarded the contract, the undersigned further agrees to begin work within 7 days, from date of Notice To Proceed or date established in the agreement.

The Scope of Work is submitted in the total amount of:

Seating & Tables: \_\_\_\_\_ dollars (\$\_\_\_\_\_)

Miscellaneous: \_\_\_\_\_ dollars (\$\_\_\_\_\_)

Combined (Seating, Tables & Miscellaneous) : \_\_\_\_\_ dollars (\$\_\_\_\_\_)

These numbers includes prevailing wages, delivery, freight, waste removal, and storage fees that may apply. (Amount shall be shown in both words and figures. In case of discrepancy, the amount shown in words will govern.

Site Delivery/Installation Dates: June 24, 2024 through July 12, 2024 (verify with Construction Schedule closer to date)

Vendor Information:

Company Name: \_\_\_\_\_

Street: \_\_\_\_\_

City, State & Zip: \_\_\_\_\_

Vendor Representative's Name: \_\_\_\_\_

Title: \_\_\_\_\_

Email: \_\_\_\_\_

Phone: \_\_\_\_\_

Vendor Representative's Signature: \_\_\_\_\_














## APPENDIX A - FURNITURE LISTING














APPENDIX A  
SEATING + TABLES






CARL SANDBURG COLLEGE - SCIENCE + TECHNOLOGY CENTER - REQUEST FOR PROPOSAL, FURNITURE




Image	Room Name / Location	Vendor	QTY	Catalog Number	Description	Unit Cost	Extended Cost
	101 ATRIUM	OFS	4	KY-8908MR-MT	Kyle, 24.5x26.75x34, Midback Lounge Rocker Base Finish BKO Onyx Rocker Runner Finish MBM Blonde Inside Seat/Back: Grade 8 Undecided Outside Seat/Back: Grade 8 Undecided		
	101 ATRIUM	Integra	4	PLOT18D18U-PLPL	Pax Pouf 18 diam x18h w/Upholstered Top Upholstery Grade R Undecided Additional Protection Selection Tamper-Resistant Fasteners		
	101 ATRIUM	Integra	2	PLOT18D18U-PLPL	Pax Pouf 18 diam x18h w/Upholstered Top Upholstery Grade S Undecided Additional Protection Selection Tamper-Resistant Fasteners		
	101 ATRIUM	Integra	2	PLOT18D18U-PLPL	Pax Pouf 18 diam x18h w/Upholstered Top Upholstery Grade T Undecided Additional Protection Selection Tamper-Resistant Fasteners		
	101 ATRIUM	Integra	2	PLOT18D18U-PLPL	Pax Pouf 18 diam x18h w/Upholstered Top Upholstery Grade T Undecided Additional Protection Selection Tamper-Resistant Fasteners		
	101 ATRIUM	Integra	14	PLOT18D18U-PLPL	Electrical-Black-For Right as Seated		
	101 ATRIUM	Integra		EB4-CH			





	101, ATRIUM	Integra	13	COST-1-30-HGCH4	<p>Coffee House Clean-Out Straight 30"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraleather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tammer-Resistant Fasteners</p>	
	101, ATRIUM	Integra	14	COST-1-30-HGCH4	<p>Coffee House Clean-Out Straight with Power (Right) 30"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraleather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tammer-Resistant Fasteners</p>	
	101, ATRIUM	OFS	1	KT2-M8424KTH	<p>Kintra 84"W x 24"D x 42" H Standing Height Table, Ships KD Finish BE2 Blonde (BE2) Shelf ZP No Shelf Power Cutout B7H One End</p>	
	101, ATRIUM	OFS	1	KT2-M6024KT	<p>Kintra 60"W x 24"D x 29" H Desk Height Table, Ships KD Finish BE2 Blonde (BE2) Power Cutout B7H One End</p>	
	101, ATRIUM	OFS	1	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging RCHG Armless Lounge, Bench, or Table Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraleather Pro, Color: Sailor</p>	





	101 ATRIUM	OFS	1	207049	Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraleather Pro, Color: Sailor		
	101 ATRIUM	OFS	1	207048	Coact Lite, 22.5x26x18, Single Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging RCHG Armless Lounge, Bench, or Table Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraleather Pro, Color: Sailor		
	101 ATRIUM	OFS	1	207048	Coact Lite, 22.5x26x18, Single Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraleather Pro, Color: Sailor		
	101 ATRIUM	OFS	2	207068	Coact Lite, 22.5x25.25x13.25, End Table (not freestanding/ must be ganged at least on one end) Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Table/Top Finish ~HPL HPL Laminate BEP Blonde (BEP)		
	101 ATRIUM	OFS	5	WF-B16RD22H	Wyre Bottle Frame 16x16x22 Round End Table Material T 3D Laminate X9 No Selection of Option BE3 Blonde Base Finish BKO Onyx		

	101. ATRIUM		OFS	3	WF-B28RD22H	Wyre Bottle Frame 28x28x22 Round End Table Material T 3D Laminate X9 No Selection of Option BE3 Blonde Base Finish BKO Onyx		
	101. ATRIUM		OFS	4	WF-B28RD17H	Wyre Bottle Frame 28x28x17 Round Coffee Table Material T 3D Laminate X9 No Selection of Option BE3 Blonde Base Finish BKO Onyx		
				8		Denro Solid Wood End Table, 20"H Species WOAK White Oak X9 None		
	101. ATRIUM		OFS	2	DNR-20ET	Black Power Supply (2) 120V Outlets, (1) USB A, (1) USB C, 10' Power Cord (For Kintra Tables)		
	101. ATRIUM		OFS	12	PS-69B	Electrical-Black-For Left as Seated		
	102. WAITING		Integra	12	EB5-CH	Coffee House Clean-Out Straight with Power (Left) 22" Chair-Hide & Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraleather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tamper-Resistant Fasteners		
	102. WAITING		Integra		COST1-22-HGCH4			





	102 WAITING	OFS	10	<p>Kasura Chair, 25x26x31, Guest Low Back Base  WDL 4 Leg Finish  ~VV Veneer Finish  MBM Blonde (MBM)  Accent Wrap Finish  XV Upholstered  6 Grade 6 Material  DesignTex, Mackintosh, Color: Pepper  Seat/Back Grade  6 Grade 6 Material  DesignTex, Mackintosh, Color: Solstice</p>	92035	
	102 WAITING	OFS	4	<p>Wyre Bottle Frame 16x16x22 Round End Table  Material  SS Solid Surface  LIGHT Light Tone Solid Surface  MWS, Modern White  Base Finish  BKO Onyx</p>	WF-B16RD22H	
	102 WAITING	OFS	3	<p>Denro Solid Wood End Table, 20"H  Species  W/OAK White Oak  X9 None</p>	DNR-20ET	
	103 STAFF BREAK ROOM	Integra	7	Electrical-Black-For Right as Seated	EB4-CH	
	103 STAFF BREAK ROOM	Integra	1	Electrical-Black-For Left as Seated	EB5-CH	





	103 STAFF BREAK ROOM	Integra	1	COST1-22-HGCH4	<p>Coffee House Clean-Out Straight with Power (Left) 22"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraeather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tammer-Resistant Fasteners</p>		
	103 STAFF BREAK ROOM	Integra	1	COST1-22-HGCH4	<p>Coffee House Clean-Out Straight with Power (Right) 22"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraeather Pro, Color: Sailor Wood Leg Finish Undecided Permacoat Wood Leg Protector Tammer-Resistant Fasteners</p>		
	103 STAFF BREAK ROOM	Integra	1	COST1-22-HGCH4	<p>Coffee House Clean-Out Straight 22"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraeather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tammer-Resistant Fasteners</p>		





	103 STAFF BREAK ROOM	Integra	2	COST1-30-HGCH4	<p>Coffee House Clean-Out Straight with Power (Right) 30"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraleather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tamper-Resistant Fasteners</p>		
	103 STAFF BREAK ROOM	Integra	4	COST1-22-HGCH4	<p>Coffee House Clean-Out Straight with Power (Right) 22"Chair-Hide &amp; Go Mobility, Multiple Textiles Back Upholstery Grade T Designtex, Stamp, Color: Azure Seat Upholstery Grade R Ultrafabrics, Ultraleather Pro, Color: Sailor Wood Leg Finish Pepper Permacoat Wood Leg Protector Tamper-Resistant Fasteners</p>		
	104 CHANGING	OFS	1	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraleather Pro, Color: Sailor</p>		
	106 OFFICE	VIA Seating	2	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms. Select you casters. 16SCG Grey-black all-floor casters. Select your frame color. OB Standard black frame. Color of mesh selection. 130 black copper mesh - 130 Select you casters. 18BB Black nylon low-profile 5-star swivel base. Lumbar OLUM1 Matte black adj. lumbar support.</p>		





	107 OFFICE	VIA Seating	2	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  Select you base.  18BB Black nylon low-profile 5-star swivel base.  Lumbar  OLUM1 Matte black adj. lumbar support.</p>	<p>201-OB-67C-SS-ONA1-18BB-  16SCG-OLUM1-130-FA</p>
	108 RECEPTION	VIA Seating	3	<p>Onda sit-to-stand stool, adjustable arms.  Select your frame color.  B Standard black frame.  Select your casters.  16SCG Grey-black all-floor casters.  Select your swivel base finish.  18BB Black nylon low-profile 5-star swivel base.  Color of mesh selection.  130 black copper mesh - 130  Lumbar  OLUM1 Black adj. height lumbar support.  Select your stool kit height.  35C-11DR Sit -to-stand stool height.  How do you want to receive your chair?  FA Ships fully assembled.</p>	<p>201-OB-35C-11DR-ONA1-18BB  16SCG-OLUM1-130-9FA</p>
	109 ADMIN	VIA Seating	1	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  BASE  18BB Black nylon low-profile 5-star swivel base.  LUMBAR  OLUM1 Matte black adj. lumbar support.</p>	<p>201-OB-67C-SS-ONA1-18BB-  16SCG-OLUM1-130-FA</p>
	111 RADIOLOGY	VIA Seating	2	<p>Reset nesting chair, arms.  Choose your textile grade.  Grade 6  Ultratrics, Ultraleather Pro, Color: Blueberry  CASTERS OR GLIDES  16SCG-SL1 Gray-black  all-floor casters + safety brake.  Color of mesh selection.  11RE black copper mesh - 11RE  Select your frame finish.  B Standard black frame.  How do you want to receive your chair?  FA Ships fully assembled (standard).</p>	<p>350-B-RA1B-16SCG-SL1-11RE-  FA-GR 6</p>











	112 RADIOLOGY VIEW	VIA Seating	4	<p>350-B-RA1B-16SCG-SL1-11RE-FA-GR 6</p>	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6          Ultrafabrics, Ultraleather Pro, Color: Blueberry          CASTERS OR GLIDES          16SCG-SL1 Gray-black all-floor casters + safety brake.          Color of mesh selection.          11RE black copper mesh - 11RE          Select your frame finish.          B Standard black frame.          How do you want to receive your chair?          FA Ships fully assembled (standard).</p>		
	113 114 CLINIC	VIA Seating	1	<p>201-OB-35C-11XDR-ONA1-18BB-16SCG-OLUM1-130-9FA</p>	<p>Onda stool, adjustable arms. Select your frame color. B Standard black frame. Select your casters. 16SCG Grey-black all-floor casters. Select your swivel base finish. 18BB Black nylon low-profile 5-star swivel base. Color of mesh selection. 130 black copper mesh - 130 Lumbar OLUM1 Black adj. height lumbar support. Select your stool kit height. 35C-11XDR Extra tall stool.</p>		
	119 LOCKER ROOM	OFS	1	<p>207049</p>	<p>Coact Lite, 45x26x18, Double Bench Base Finish          MSL Luster Grey          Left Facing Shared Leg Ganging          X9 No Ganging          X9 No Ganging          Textile Grade          8 Grade 8 Material          Ultrafabrics, Ultraleather Pro, Color: Sailor</p>		
	123 FLEX OFFICE	VIA Seating	5	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms. Select you casters. 16SCG Grey-black all-floor casters. Select your frame color. OB Standard black frame. Color of mesh selection. 130 black copper mesh - 130 Select you casters. 18BB Black nylon low-profile 5-star swivel base. Lumbar OLUM1 Matte black adj. lumbar support.</p>		





	127 COORRIDOR	OFS	1	<p>Coact Lite, 67.5x26x34.75, Sofa Mid Back, Armless, Multiple Textiles Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Back Textile Grade 6 Grade 6 Material DesignTex, Mackintosh, Color: Solstice Seat Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>	207043-M-MT		
	127 COORRIDOR	OFS	1	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging RCHG Armless Lounge, Bench, or Table Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>	207049		
	127 COORRIDOR	OFS	1	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>	207049		
	127 COORRIDOR	OFS	2	<p>Coact Lite, 22.5x25.25x13.25, End Table (not freestanding / must be ganged at least on one end) Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Table/Top Finish ~HPL HPL Laminate BEP Blonde (BEP)</p>	207068		

	128 COORRIDOR	OFS	2	207043-M-MT	<p>Coact Lite, 67.5x26x34.75, Sofa Mid Back, Armless, Multiple Textiles Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Back Textile Grade 6 Grade 6 Material DesignTex, Mackintosh, Color: Solstice Seat Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>		
	128 COORRIDOR	OFS	2	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging RCHG Armless Lounge, Bench, or Table Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>		
	128 COORRIDOR	OFS	2	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrafabrics, Ultraeather Pro, Color: Sailor</p>		
	128 COORRIDOR	OFS	4	207068	<p>Coact Lite, 22.5x25.25x13.25, End Table (not freestanding / must be ganged at least on one end) Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Table/Top Finish ~HPL HPL Laminate BEP Blonde (BEP)</p>		

	129A CONTROL ROOM	VIA Seating	4	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultraleather Pro, Color: Blueberry Select your swivel base finish. 188B Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>		
	130 OFFICE	VIA Seating	2	<p>Onda mid back, synchro and slider, adjustable arms. Select your casters. 16SCG Grey-black all-floor casters. Select your frame color. OB Standard black frame. Color of mesh selection. 130 black copper mesh - 130 Select your base. 188B Black nylon low-profile 5-star swivel base. Lumbar OLUM1 Matte black adj. lumbar support.</p>		
	132 RADIOLOGY TECH LAB	Mien Company	8	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		
	132 RADIOLOGY TECH LAB	VIA Seating	16	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships fully assembled (standard).</p>		





	<p>132 RADIOLOGY TECH LAB</p>	<p>VIA Seating</p>	<p>5</p>	<p>352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6</p>	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry Select your swivel base finish. 18BB Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>		
	<p>133 DHG SIM CLASSROOM</p>	<p>Mien Company</p>	<p>15</p>	<p>TBD</p>	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		
	<p>133 DHG SIM CLASSROOM</p>	<p>VIA Seating</p>	<p>30</p>	<p>350-B-RA1B-16SCG-SL1-11RE-FA-GR 6</p>	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? FA Ships fully assembled (standard).</p>		
	<p>134 NURSING SKILLS LAB</p>	<p>Mien Company</p>	<p>10</p>	<p>TBD</p>	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		





	134 NURSING SKILLS LAB	VIA Seating	20	350-B-RA1B-16SCG-SL1-11RE-FA-GR 6	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6</p> <p>Ultrafabrics, Ultraleather Pro, Color: Blueberry</p> <p>CASTERS OR GLIDES</p> <p>16SCG-SL1 Gray-black all-floor casters + safety brake.</p> <p>Color of mesh selection.</p> <p>11RE black copper mesh - 11RE</p> <p>Select your frame finish.</p> <p>B Standard black frame.</p> <p>How do you want to receive your chair? FA Ships fully assembled (standard).</p>		
	134 NURSING SKILLS LAB	VIA Seating	1	352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6	<p>Reset tight task stool, arms. Choose your textile grade. Grade 6</p> <p>Ultrafabrics, Ultraleather Pro, Color: Blueberry</p> <p>Select your swivel base finish.</p> <p>18BB Standard black base for black frames.</p> <p>16SCG Gray-black all floor casters floor casters.</p> <p>SL1 Safety-brake casters.</p> <p>Color of mesh selection.</p> <p>11RE black copper mesh - 11RE</p> <p>Select your frame finish.</p> <p>B Standard black frame.</p> <p>How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>		
	135 OFFICE	VIA Seating	2	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms.</p> <p>Select you casters.</p> <p>16SCG Grey-black all-floor casters.</p> <p>Select your frame color.</p> <p>OB Standard black frame.</p> <p>Color of mesh selection.</p> <p>130 black copper mesh - 130</p> <p>Select your base.</p> <p>18BB Black nylon low-profile 5-star swivel base.</p> <p>Lumbar</p> <p>OLUM1 Matte black adj. lumbar support.</p>		
	136 NURSING MED ASST LAB CLASS	Mien Company	10	TBD	<p>18" x 60" BRB Flip Top Table, No Modesty</p> <p>Standard Fold-Out Bag Hook</p> <p>Locking Casters</p> <p>Top Laminate</p> <p>Undecided</p> <p>Top Edge</p> <p>Undecided</p>		





	<p>136 NURSING MED ASST LAB CLASS</p>	<p>VIA Seating</p>	<p>20</p>	<p>350-B-RA1B-16SCG-SL1-11RE-FA-GR 6</p>	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? FA Ships fully assembled (standard).</p>		
	<p>136A NURSING ASST STORAGE</p>	<p>VIA Seating</p>	<p>2</p>	<p>350-B-RA1B-16SCG-SL1-11RE-FA-GR 6</p>	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? FA Ships fully assembled (standard).</p>		
	<p>137 DHG CLASSROOM</p>	<p>Mlen Company</p>	<p>15</p>	<p>TBD</p>	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		
	<p>137 DHG CLASSROOM</p>	<p>VIA Seating</p>	<p>30</p>	<p>350-B-RA1B-16SCG-SL1-11RE-FA-GR 6</p>	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? FA Ships fully assembled (standard).</p>		





	138 COORRIDOR	OFS	2	207043-M-MT	<p>Coact Lite, 67.5x26x34.75, Sofa Mid Back, Armless, Multiple Textiles Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Back Textile Grade 6 Grade 6 Material DesignTex, Mackintosh, Color: Solstice Seat Textile Grade 8 Grade 8 Material Ultrabrics, Ultraleather Pro, Color: Sailor</p>		
	138 COORRIDOR	OFS	2	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging X9 No Ganging RCHG Armless Lounge, Bench, or Table Textile Grade 8 Grade 8 Material Ultrabrics, Ultraleather Pro, Color: Sailor</p>		
	138 COORRIDOR	OFS	2	207049	<p>Coact Lite, 45x26x18, Double Bench Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging X9 No Ganging Textile Grade 8 Grade 8 Material Ultrabrics, Ultraleather Pro, Color: Sailor</p>		
	138 COORRIDOR	OFS	4	207068	<p>Coact Lite, 22.5x25.25x13.25, End Table (not freestanding / must be ganged at least on one end) Base Finish MSL Luster Grey Left Facing Shared Leg Ganging LCHG Ganging RCHG Armless Lounge, Bench, or Table Table/Top Finish ~HPL HPL Laminate BEP Blonde (BEP)</p>		
	141 CLASSROOM	Mien Company	15	TBD	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		










	141 CLASSROOM	VIA Seating	30	350-B-RA1B-16SCG-SL1-11RE-FA-CR 6	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6          Ultrafabrics, Ultraleather Pro, Color: Blueberry          CASTERS OR GLIDES          16SCG-SL1 Gray-black all-floor casters + safety brake.          Color of mesh selection.          11RE black copper mesh - 11RE          Select your frame finish.          B Standard black frame.          How do you want to receive your chair?          FA Ships fully assembled (standard).</p>		
	200/224.COORIDORS	OFS	4	207043-M-MT	<p>Coact Lite, 67.5x26x34.75, Sofa Mid Back, Armless, Multiple Textiles          Base Finish          MSL Luster Grey          Left Facing Shared Leg Ganging          LCHG Ganging          RCHG Armless Lounge, Bench, or Table          Back Textile Grade          6 Grade 6 Material          Designtex, Mackintosh, Color: Solstice          Seat Textile Grade          8 Grade 8 Material          Ultrafabrics, Ultraleather Pro, Color: Sailor</p>		
	200/224.COORIDORS	OFS	4	207049	<p>Coact Lite, 45x26x18, Double Bench          Base Finish          MSL Luster Grey          Left Facing Shared Leg Ganging          X9 No Ganging          RCHG Armless Lounge, Bench, or Table          Textile Grade          8 Grade 8 Material          Ultrafabrics, Ultraleather Pro, Color: Sailor</p>		
	200/224.COORIDORS	OFS	4	207049	<p>Coact Lite, 45x26x18, Double Bench          Base Finish          MSL Luster Grey          Left Facing Shared Leg Ganging          LCHG Ganging          X9 No Ganging          Textile Grade          8 Grade 8 Material          Ultrafabrics, Ultraleather Pro, Color: Sailor</p>		





	200/224.COORRIDORS	OFS	8	207068	<p>Coact Lite, 22.5x25.25x13.25, End Table (not freestanding/ must be ganged at least on one end)  Base Finish  MSL Luster Grey  Left Facing Shared Leg Ganging  LCHG Ganging  RCHG Armless Lounge, Bench, or Table  Table/Top Finish  ~HPL HPL Laminate  BEP Blonde (BEP)</p>		
	203 OFFICE	VIA Seating	2	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  Select you casters.  18BB Black nylon low-profile 5-star swivel base.  Lumbar  OLUM1 Matte black adj. lumbar support.</p>		
	204 OFFICE	VIA Seating	2	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  Select you casters.  18BB Black nylon low-profile 5-star swivel base.  Lumbar  OLUM1 Matte black adj. lumbar support.</p>		
	205 OFFICE	VIA Seating	2	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  Select you casters.  18BB Black nylon low-profile 5-star swivel base.  Lumbar  OLUM1 Matte black adj. lumbar support.</p>		

	206 OFFICE	VIA Seating	2	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms.          Select you casters.          16SCG Grey-black all-floor casters.          Select your frame color.          OB Standard black frame.          Color of mesh selection.          130 black copper mesh - 130          Select you casters.          18BB Black nylon low-profile 5-star swivel base.          Lumbar          OLUM1 Matte black adj. lumbar support.</p>		
	207 OFFICE	VIA Seating	2	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms.          Select you casters.          16SCG Grey-black all-floor casters.          Select your frame color.          OB Standard black frame.          Color of mesh selection.          130 black copper mesh - 130          Select you casters.          18BB Black nylon low-profile 5-star swivel base.          Lumbar          OLUM1 Matte black adj. lumbar support.</p>		
	208 OFFICE	VIA Seating	2	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms.          Select you casters.          16SCG Grey-black all-floor casters.          Select your frame color.          OB Standard black frame.          Color of mesh selection.          130 black copper mesh - 130          Select you casters.          18BB Black nylon low-profile 5-star swivel base.          Lumbar          OLUM1 Matte black adj. lumbar support.</p>		
	209 DEAN SUITE	OFS	2	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Kasura Chair, 30.5x32x32.25,          Swivel Mid Back Lounge          Base Finish          PAL Polished Aluminum          Accent Wrap Finish          ~VEN Veneer          MBM Blonde (MBM)          X9 None          X9 None          Seat/Back Grade          6 Grade 6 Material          Designtex, Wend, Color: Inkwell</p>	92116	

	209 DEAN SUITE	VIA Seating	2	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms.          Select you casters.          16SCG Grey-black all-floor casters.          Select your frame color.          OB Standard black frame.          Color of mesh selection.          130 black copper mesh - 130          Select you casters.          18BB Black nylon low-profile 5-star swivel base.          Lumbar          OLUM1, Matte black adj. lumbar support.          Kasura Chair, 25x26x31, Guest Low Back</p>		
	210 OFFICE	OFS	2	92035	<p>Base          WDL 4 Leg Finish          ~V/V Veneer Finish          MBM Blonde (MBM)          Accent Wrap Finish          XV Upholstered          6 Grade 6 Material          Designtex, Wend, Color: Inkwell          Seat/Back Grade          6 Grade 6 Material          Designtex, Wend, Color: Flaxflower</p>		
	210 OFFICE	VIA Seating	1	<p>201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA</p>	<p>Onda mid back, synchro and slider, adjustable arms.          Select you casters.          16SCG Grey-black all-floor casters.          Select your frame color.          OB Standard black frame.          Color of mesh selection.          130 black copper mesh - 130          Select you casters.          18BB Black nylon low-profile 5-star swivel base.          Lumbar          OLUM1, Matte black adj. lumbar support.          Kasura Chair, 25x25.5x31.5,</p>		
	211 MEETING ROOM	OFS	5	92015	<p>Swivel Low Back          Base          C4N 5-Prong Swivel with standard casters          PAL Polished Aluminum          Accent Wrap Finish          ~VEN Veneer          MBM Blonde (MBM)          X9 None          X9 None          Seat/Back Grade          6 Grade 6 Material          Designtex, Wend, Color: Inkwell</p>		






	212 OFFICE	OFS	2	92035	<p>Kasura Chair, 25x26x31, Guest Low Back Base  WDL 4 Leg Finish  ~V/V Veneer Finish  MBM Blonde (MBM)  Accent Wrap Finish  XV Upholstered  6 Grade 6 Material  Designtex, Wend, Color: Inkwell  Seat/Back Grade  6 Grade 6 Material  Designtex, Wend, Color: Flexflower</p>		
	212 OFFICE	VIA Seating	1	201-OB-67C-SS-ONA1-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms.  Select you casters.  16SCG Grey-black all-floor casters.  Select your frame color.  OB Standard black frame.  Color of mesh selection.  130 black copper mesh - 130  Select you casters.  18BB Black n/y/on low-profile 5-star swivel base.  Lumbar  OLUM1 Matte black adj. lumbar support.</p>		
	213 HEALTH MED	Mien Company	10	TBD	<p>18" x 60" BRB Flip Top Table, No Modesty  Standard Fold-Out Bag Hook  Locking Casters  Top Laminate  Undecided  Top Edge  Undecided</p>		
	213 HEALTH MED	VIA Seating	20	350-B-RA1B-16SCG-SL1-11RE-FA-GR 6	<p>Reset nesting chair, arms.  Choose your textile grade.  Grade 6  Ultrafabrics, Ultraeather Pro, Color: Blueberry  CASTERS OR GLIDES  16SCG-SL1 Gray-black  all-floor casters + safety brake.  Color of mesh selection.  11RE black copper mesh - 11RE  Select your frame finish.  B Standard black frame.  How do you want to receive your chair?  FA Ships fully assembled (standard).</p>		




	<p>216 FLEX-FLEX LAB</p>	<p>VIA Seating</p>	<p>24</p>	<p>352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6</p>	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry Select your swivel base finish. 18BB Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>
	<p>218 FIXED-FLEX LAB CHEMISTRY</p>	<p>VIA Seating</p>	<p>24</p>	<p>352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6</p>	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry Select your swivel base finish. 18BB Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>
	<p>219 FIXED-FLEX LAB MICROBIOLOGY</p>	<p>VIA Seating</p>	<p>24</p>	<p>352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6</p>	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry Select your swivel base finish. 18BB Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>

	220 FLEX-FLEX LAB	VIA Seating	24	<p>352-B-RA1B-18BB-16SCG-SL1-11TDR-11RE-9FA-GR 6</p>	<p>Reset light task stool, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry Select your swivel base finish. 18BB Standard black base for black frames. 16SCG Gray-black all floor casters floor casters. SL1 Safety-brake casters. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? 9FA Ships 95% assembled. No tools required (standard).</p>		
	221 COLLAB CLASSROOM	Mien Company	20	TBD	<p>18" x 60" BRB Flip Top Table, No Modesty Standard Fold-Out Bag Hook Locking Casters Top Laminate Undecided Top Edge Undecided</p>		
	221 COLLAB CLASSROOM	VIA Seating	40	350-B-RA1B-16SCG-SL1-11RE-FA-GR 6	<p>Reset nesting chair, arms. Choose your textile grade. Grade 6 Ultrafabrics, Ultraleather Pro, Color: Blueberry CASTERS OR GLIDES 16SCG-SL1 Gray-black all-floor casters + safety brake. Color of mesh selection. 11RE black copper mesh - 11RE Select your frame finish. B Standard black frame. How do you want to receive your chair? FA Ships fully assembled (standard).</p>		
	225 BUSINESS CENTER	VIA Seating	4	201-OB-67C-SS-ON41-18BB-16SCG-OLUM1-130-FA	<p>Onda mid back, synchro and slider, adjustable arms. Select you casters. 16SCG Grey-black all-floor casters. Select your frame color. OB Standard black frame. Color of mesh selection. 130 black copper mesh - 130 Select you casters. 18BB Black nylon low-profile 5-star swivel base. Lumbar OLUM1 Matte black adj. lumbar support.</p>		

	226 WELLNESS	Integra	3	PLOT18D18U-PLPL	<p>Pax Pouf 18 diam x18h w/Upholstered Top Upholstery Grade S Undecided Additional Protection Selection Tamper-Resistant Fasteners</p>		
	226 WELLNESS	OFS	4	83041	<p>Rowen Lounge w/ Arms, 33.5x29.75x30.75 Button Position X9 None X9 None Seated Height LNHG Lounge Height Leg - 17.5" MAL Metal Leg BKO Onyx Ganging X9 None Textile Grade 7 Grade 7 Material Ultrafabrics, Brisa Distressed, Color: Lasso</p>		
	226 WELLNESS	OFS	1	83140	<p>Rowen 66"W x 19.25"D x 16"H, Triple Bench Solid Wood Slats Slat Finish SMOAK Oak Super Matte Clear Leg Finish BKO Onyx</p>		
	226 WELLNESS	OFS	6	92116	<p>Kasura Chair, 30.5x32x32.25, Swivel Mid Back Lounge Base Finish BKO Onyx Accent Wrap Finish XV Upholstered 8 Grade 8 Material Undecided Seat/Back Grade 8 Grade 8 Material Undecided</p>		
	226 WELLNESS	OFS	2	WF-B16RD22H	<p>Wyre Bottle Frame 16x16x22 Round End Table Material SS Solid Surface LIGHT Light Tone Solid Surface MWS Modern White Base Finish BKO Onyx</p>		






	227 SUITE	OFS	1	WF-B16RD22H	Wyre Bottle Frame 16x16x22 Round End Table Top Finish S Solid Surface LIGHT Light Tone Solid Surface MWS Modern White Base Finish MRR Mirrored			
	228 SUITE	OFS	1	83046	Rowen Chaise w/Single Arm, 29.25x58.25x30.75 Arm/Back Location B9H Left Facing X9 None X9 None Seated Height LNHG Lounge Height Leg - 17.5" WDL Wood MBM Blonde X9 None Ganging X9 None Grade 7 Grade 7 Material Undecided			
	228 SUITE	OFS	1	8272015	Heya 20x19x27 Pull Up Table Top Finish SS Solid Surface LIGHT Light Tone Solid Surface MWS Modern White Leg Finish MBM Blonde Base Finish MSL Luster Grey			
	228 SUITE	OFS	1	DNR-20ET	Dentro Solid Wood End Table, 20"H Species WOAK White Oak X9 None			
	228 SUITE	OFS	1	TP-BOLSTER	Bolster 6w x 19.5d x 6h Grade, 1 yd 18 Grade 18 Material Undecided			



	229 SUITE	OFS	2	KY-8908MR-MT Kyle, 24.5x26.75x34, Midback Lounge Rocker, Multiple Textiles Base Finish MSL Luster Grey Rocker Runner Finish MBM Blonde Inside Seat/Back Grade 7 Grade 7 Material Undecided Outside Seat/Back Grade 7 Grade 7 Material Undecided	
	229 SUITE	OFS	1	DNR-20ET Denro Solid Wood End Table, 20"H Species WOAK White Oak X9 None	
	229 SUITE	OFS	1	DNR-16ET Denro Solid Wood End Table, 16"H Species WOAK White Oak X9 None	




PRICING FOR SEATING CATEGORY ONLY		SEATING SUBTOTAL:
		FREIGHT / DELIVERY SURCHARGES:
		INSTALLATION (PREVAILING WAGE):
		TOTAL:



APPENDIX A  
MISCELLANEOUS




CARL SANDBURG COLLEGE - SCIENCE + TECHNOLOGY CENTER - REQUEST FOR PROPOSAL, FURNITURE




Image	Room Name / Location	Vendor	QTY	Catalog Number	Description	Unit Cost	Extended Cost
	101 ATRIUM	Magnusson Group	3	VA1818L	Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides. Body Finish Color (AS) Anodized Silver Top Opening WST Waste (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) Sign Holder STD No Selection		
	101 ATRIUM	Magnusson Group	3	VA1809L	Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides. Body Finish Color (AS) Anodized Silver Top Opening CRL Circle (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) (C) Cans Sign Holder STD No Selection		
	101 ATRIUM	Magnusson Group	3	VA1818L	Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides. Body Finish Color (AS) Anodized Silver Top Opening WST Waste (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) R) Recycling (Arrows) Sign Holder STD No Selection		

	101 ATRIUM	Mien Company	6	VOLT-COR-1215-39-BA-	<p>VOLT Charging Station, Corded, 13' Cord (12"W x 15"D x 39"H, Black, 8 Power and 8 USB Outlets)</p>	
	101 ATRIUM	OFS	9	13-55PB	<p>Kaleid, Single Planter Box, 55.5x22x76 Grain Pattern X9 Laminate ~HPL HPL Planter Finish BEP Blonde Post Finish P Paint Post Finish BLK Black Frame Finish BKO Onyx Ganging X9 No Ganging Planter Liner PBL 4 Liners</p>	
	108 RECEPTION	Magnusson Group	1	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides. Body Finish Color (AS) Anodized Silver Top Opening WST Waste (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) (W) Waste Sign Holder STD No Selection</p>	



	108 RECEPTION	Magnusson Group	1	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening CRL Circle (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>(C) Cans</p> <p>Sign Holder</p> <p>STD No Selection</p>		
	108 RECEPTION	Magnusson Group	1	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening WST Waste (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>R) Recycling (Arrows)</p> <p>Sign Holder</p> <p>STD No Selection</p>		
	115 BULK STORAGE	Safco	3	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.</p> <p>Extra strength steel shelving</p> <p>Steel construction</p> <p>Shelves adjust in 1" increments</p> <p>Open wire shelves reduce dust accumulation</p> <p>Adjustable leveling feet with plastic caps</p> <p>Rated up to 500 lbs. per shelf (2,000 lbs. per unit)</p> <p>Optional extra shelves are packed two per carton</p> <p>48" Basic Unit</p> <p>Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		



	<p>115 BULK STORAGE</p>	<p>Safco</p>	<p>10</p>	<p>5276</p>	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>	
	<p>116 STORAGE</p>	<p>Safco</p>	<p>9</p>	<p>5276</p>	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>	




	119 LOCKER ROOM	Magnusson Group	1	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.          Body Finish Color (AS) Anodized Silver          Top Opening          WST Waste          (AS) Anodized Silver          Label Reference Placement (REF2) Icon placed on RIGHT SIDE          (R) Recycling (Arrows)          Sign Holder          STD No Selection</p>		
	119 LOCKER ROOM	Magnusson Group	1	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.          Body Finish Color (AS) Anodized Silver          Top Opening          CRL Circle          (AS) Anodized Silver          Label Reference Placement (REF2) Icon placed on RIGHT SIDE          (W) Waste          Sign Holder          STD No Selection</p>		
	128 CORRIDOR	Magnusson Group	2	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.          Body Finish Color (AS) Anodized Silver          Top Opening          WST Waste          (AS) Anodized Silver          Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)          (W) Waste          Sign Holder          STD No Selection</p>		




	128 COORIDOR	Magnusson Group	2	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening CRL Circle (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>(C) Cans</p> <p>Sign Holder</p> <p>STD No Selection</p>		
	128 COORIDOR	Magnusson Group	1	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening WST Waste (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>R) Recycling (Arrows)</p> <p>Sign Holder</p> <p>STD No Selection</p>		
	132B SUPPORT	Safco	1	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.</p> <p>Extra strength steel shelving</p> <p>Steel construction</p> <p>Shelves adjust in 1" increments</p> <p>Open wire shelves reduce dust accumulation</p> <p>Adjustable leveling feet with plastic caps</p> <p>Rated up to 500 lbs. per shelf (2,000 lbs. per unit)</p> <p>Optional extra shelves are packed two per carton</p> <p>48" Basic Unit</p> <p>Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		








	132B SUPPORT	Safco	3	5276	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving</p> <p>Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic Unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		
	133A STORAGE	Safco	1	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving</p> <p>Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 48" Basic Unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		



	133A STORAGE	Safco	2	5276	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		
	134A STORAGE	Safco	1	5294	<p>Industrial Wire Shelving, 48 x 24", Extra strength steel shelving Welded wire construction Industrial wire shelves adjust in 1" increments Open wire design permits air circulation and prevents dust accumulation Powder coat finish for durability Rated up to 800 lbs. per shelf Optional add-on unit and extra shelf pack Includes four steel shelves, four posts and snap-together clips Shelving unit is 48 x 24" Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		



	134A STORAGE	Safco	14	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.</p> <p>Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 48" Basic Unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		
	138 COORIDOR	Magnusson Group	3	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver Top Opening WST Waste (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) (W) Waste Sign Holder STD No Selection</p>		
	138 COORIDOR	Magnusson Group	3	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver Top Opening CRL Circle (AS) Anodized Silver Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top) (C) Cans Sign Holder STD No Selection</p>		

	138 COORRIDOR	Magnusson Group	3	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening WST Waste (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>R) Recycling (Arrows) Sign Holder</p> <p>STD No Selection</p>		
	149 CONNECTING COORRIDOR	Magnusson Group	1	VA1818L	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening WST Waste (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>(W) Waste Sign Holder</p> <p>STD No Selection</p>		
	149 CONNECTING COORRIDOR	Magnusson Group	1	VA1809L	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.</p> <p>Body Finish Color (AS) Anodized Silver</p> <p>Top Opening CRL Circle (AS) Anodized Silver</p> <p>Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)</p> <p>(C) Cans Sign Holder</p> <p>STD No Selection</p>		






	<p>149 CONNECTING COORIDOR</p>	<p>Magnusson Group</p>	<p>1</p>	<p>VA1818L</p>	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.  Body Finish Color  (AS) Anodized Silver  Top Opening  WST Waste  (AS) Anodized Silver  Label Reference Placement  (REF1) Icon placed on FRONT (side opposite hinged top)  R) Recycling (Arrows)  Sign Holder  STD No Selection</p>		
	<p>200/224 COORIDORS</p>	<p>Magnusson Group</p>	<p>4</p>	<p>VA1818L</p>	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.  Body Finish Color  (AS) Anodized Silver  Top Opening  WST Waste  (AS) Anodized Silver  Label Reference Placement  (REF1) Icon placed on FRONT (side opposite hinged top)  (W) Waste  Sign Holder  STD No Selection</p>		
	<p>200/224 COORIDORS</p>	<p>Magnusson Group</p>	<p>4</p>	<p>VA1809L</p>	<p>Painted steel 20 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.  Body Finish Color  (AS) Anodized Silver  Top Opening  CRL Circle  (AS) Anodized Silver  Label Reference Placement  (REF1) Icon placed on FRONT (side opposite hinged top)  (C) Cans  Sign Holder  STD No Selection</p>		




	<p>200/224 COORIDORS</p>	<p>Magnusson Group</p>	<p>4</p>	<p>VA1818L</p>	<p>Painted steel 40 gallon body waste receptacle with internal rigid liner, integrated bag arms and adjustable glides.  Body Finish Color (AS) Anodized Silver  Top Opening  WST Waste (AS) Anodized Silver  Label Reference Placement (REF1) Icon placed on FRONT (side opposite hinged top)  R) Recycling (Arrows)  Sign Holder  STD No Selection</p>		
	<p>215 STORAGE</p>	<p>Safco</p>	<p>1</p>	<p>5241</p>	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.  Extra strength steel shelving  Steel construction  Shelves adjust in 1" increments  Open wire shelves reduce dust accumulation  Adjustable leveling feet with plastic caps  Rated up to 500 lbs. per shelf (2,000 lbs. per unit)  Optional extra shelves are packed two per carton  48" Basic Unit  Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		

	215 STORAGE	Safco	2	5276	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.</p> <p>Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic Unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		
	217 CLEANING	Safco	4	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton.</p> <p>Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 48" Basic Unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		

	217 CLEANING	Safco	10	5276	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving</p> <p>Steel construction</p> <p>Shelves adjust in 1" increments</p> <p>Open wire shelves reduce dust accumulation</p> <p>Adjustable leveling feet with plastic caps</p> <p>Rated up to 500 lbs. per shelf (2,000 lbs. per unit)</p> <p>Optional extra shelves are packed two per carton</p> <p>36" Basic Unit</p> <p>Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		
	222 SUPPORT	Safco	1	5241	<p>Commercial Wire Shelving, 48 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 48 x 18". The open wire shelves are perfect for office storage and for reducing dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving</p> <p>Steel construction</p> <p>Shelves adjust in 1" increments</p> <p>Open wire shelves reduce dust accumulation</p> <p>Adjustable leveling feet with plastic caps</p> <p>Rated up to 500 lbs. per shelf (2,000 lbs. per unit)</p> <p>Optional extra shelves are packed two per carton</p> <p>48" Basic Unit</p> <p>Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>		



	222 SUPPORT	Safco	2	5276	<p>Commercial Wire Shelving, 36 x 18", Safco's Commercial Wire Shelving is an extra strength, steel construction storage shelf, measuring 38 x 18". The open wire shelves are perfect for office storage and reduce dust accumulation. Adaptable to any workplace, the storage shelf features adjustable leveling feet with plastic caps and shelves that adjust in 1" increments. Rated up to 500 lbs. per shelf (2,000 lbs. per unit). Optional extra shelves are packed two per carton. Extra strength steel shelving Steel construction Shelves adjust in 1" increments Open wire shelves reduce dust accumulation Adjustable leveling feet with plastic caps Rated up to 500 lbs. per shelf (2,000 lbs. per unit) Optional extra shelves are packed two per carton 36" Basic unit Certified by the NSF to NSF/ANSI Standard 2 - Food Equipment ? Acceptable for Dry Storage and Heated Environment use</p>	
	225 BUSINESS CENTER	OFS	1	16-MBRS	<p>Ezel, Markerboard Wall Rail Starter Kit, for single use or start of run, contains two end caps and two mount pucks Frame Finish MSL Luster Grey</p>	
	225 BUSINESS CENTER	OFS	2	16-MBRA	<p>Ezel, Markerboard Wall Rail Add-on Kit, for adding on to starter unit, contains three mount pucks Frame Finish MSL Luster Grey</p>	
	225 BUSINESS CENTER	OFS	2	16-MBC	<p>Ezel, Markerboard Caddy Frame Finish MSL Luster Grey Caster Finish BLKC Black</p>	
	225 BUSINESS CENTER	OFS	3	16-MB	<p>Ezel, 33x2x64, Lightweight Markerboard, Dry Erase HPL Surface, Includes Hanging Knobs</p>	

	226 WELLNESS	OFS	1	RO-35PS	Roo, Planter Stand, 17.5x17.5x35 Finish MBM Blonde Metal Finish BKO Onyx Bowl Finish WHT White		
	226 WELLNESS	OFS	1	RO-32PS	Roo, Planter Stand, 17.5x17.5x32 Finish MBM Blonde Metal Finish BKO Onyx Bowl Finish WHT White		
	226 WELLNESS	OFS	1	RO-29PS	Roo, Planter Stand, 17.5x17.5x29 Finish MBM Blonde Metal Finish BKO Onyx Bowl Finish WHT White		

PRICING FOR MISCELLANEOUS CATEGORY ONLY	SEATING SUBTOTAL:
	FREIGHT / DELIVERY SURCHARGES:
	INSTALLATION (PREVAILING WAGE):
	<b>TOTAL:</b>

PRICING FOR COMBINED (SEATING, TABLES & MISCELLANEOUS)	SEATING SUBTOTAL:
	FREIGHT / DELIVERY SURCHARGES:
	INSTALLATION (PREVAILING WAGE):
	<b>TOTAL:</b>